LUNA RECESSED

SKU: NZ-0001



Description:

Aluminium profile body.
Mains voltage: 220-240V / 50-60Hz.
Clever thermal design.
1-10V and DALI dimming options available upon request.
Opal diffuser.
Basic colours: white, black, silver, antracite dark gray and special color options available upon request.
Emergency kit system can be integrated.

Technical Informations:

Model	Power	CRI	Kelvin	Lumen	Dimensions
LUNA 60.4	13w	CRI 80	3000K	1300	55x70x600 mm
			4000K	1350	55x70x600 mm
LUNA 90.4	21w	CRI 80	3000K	2100	55x70x900 mm
			4000K	2150	55x70x900 mm
LUNA 120.4	27w	CRI 80	3000K	2700	55x70x1200 mm
			4000K	2750	55x70x1200 mm
LUNA 150.4	35w	CRI 80	3000K	3500	55x70x1500 mm
			4000K	3550	55x70x1500 mm
LUNA 60.4.21	21w	CRI 80	3000K	2100	55x70x600 mm
			4000K	2150	55x70x600 mm
LUNA 90.4.32	32w	CRI 80	3000K	3200	55x70x900 mm
			4000K	3250	55x70x900 mm
LUNA 120.4.42	42w	CRI 80	3000K	4200	55x70x1200 mm

Model	Power	CRI	Kelvin	Lumen	Dimensions
			4000K	4250	55x70x1200 mm
LUNA 150.4.53	53w	CRI 80	3000K	5300	55x70x1500 mm
			4000K	5350	55x70x1500 mm